



SH

3736  
\$

PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re the Application of:

DEKKER

Serial No.: 10/081,887

Filed: February 22, 2002


Confirmation No.: 9941

Atty. File No.: 41942-04500

For: "MONITORING MAYER WAVE  
EFFECTS BASED ON A PHOTO-  
PLETHYSMOGRAPHIC SIGNAL"

) Group Art Unit: 3736  
)  
) Examiner: KREMER, MATTHEW J.  
)  
) AMENDMENT AND RESPONSE  
)

10/a  
EXT  
2/2/03



Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

RECEIVED  
SEP 17 2003

Dear Sir:

TECHNOLOGY CENTER R3700

Applicant submits this Amendment and Response to address the Office Action having a mailing date of April 11, 2003. Enclosed herewith is a petition for a two-month extension of time, thereby extending the time period for response from July 11, 2003 to September 11, 2003. A check in the amount of \$446.00 is enclosed that includes \$410.00 for the extension fee and \$36.00 for the additional dependent claims presented herein. Please credit any overpayment or charge any underpayment to Deposit Account No. 50-1419.

Please amend the above-identified patent application as follows:

Claims 1, 3-6, 9-11, 17-19, 22-24, 29, 37, 39 and 41 are being amended and Claims 43-44 are being added.

This listing of claims will replace all prior versions, and listing of claims in the application: